

**MAKE
YOUR WORK
EASIER.**



**BUY
A
VW KOMBI.**


**TODAY'S
BEST
CHOICE.**

TECHNICAL DATA

ENGINE

Location	rear
Number of cylinders	4
Cylinder layout	horizontally opposed, 2 by 2
Displacement	1584 cc
Compression ratio	7.2:1
Maximum output (SAE)	58 hp at 4400 rpm 65 hp at 4600 rpm*
Maximum torque (SAE)	11.2 mkg at 2600 rpm 11.7 mkg at 3200 rpm*
Cooling	by air
Carburettor	1 down-draught 2 down-draught (optional)

TRANSMISSION

Drive	rear-wheel
Gearbox	4 synchronized front speeds and 1 reverse gear
Gear ratio	
1st gear	1:3.80
2nd gear	1:2.06
3rd gear	1:1.32
4th gear	1:0.88
reverse gear	1:3.88
Differential ratio	1:5.143

PERFORMANCE

Maximum speed	110 kph - 114 kph*
Economical speed	
2nd gear	18 to 28 kph - 18 to 33 kph*
3rd gear	27 to 42 kph - 27 to 52 kph*
4th gear	41 to 63 kph - 41 to 77 kph*

SUSPENSION

Front	2 torsion bars (beams), double- action telescopic shock absorbers and stabilizer
Rear	2 torsion bars (cylindrical) double-action telescopic shock absorbers, double-joint half- axle with constant velocity joints

STEERING

Type	roller; hydraulic damper
Turn diameter	12 m
Steering wheel turns from lock to lock	3.5

BRAKES

Footbrake	hydraulic, drums at front and rear, brake servo
Handbrake	mechanical, acting on rear wheels

WHEELS

Tyres	7.35 x 14 4/6 PR
Rims	5 1/2 J x 14 H 1 B

DIMENSIONS (mm)

Length	4397
Width	1746
Height	1912
Track - front	1387
- rear	1420
Wheelbase	2400
Ground clearance (with maximum load)	200

WEIGHTS (kg)

Net weight	1150
Payload	1005
Total permissible weight	2155

RE-FILLING CAPACITIES (litres)

Fuel tank	50
Crankcase	2.5
Gearbox/differential	2

VOLUMETRIC CAPACITY (dm³)

Rear luggage compartment:	
- up to the lower edge of the rear window	400
- up to the roof	900
Passenger compartment	
- up to lower edge of the rear window	2600
- up to the roof	4000

ELECTRICAL SYSTEM

Battery	12V / 36 Ah
Power source	Alternator 35 A

* 2-carburettor engine (optional).

Technical data subject to alterations without prior notice.



VOLKSWAGEN DO BRASIL S. A.